ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 291 1994

Published by Springer International on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman:
A. Maeder (Switzerland)

Vice Chairman:
A.G. Hearn (The Netherlands)

D. Alloin (France)
R. Canal (Spain)
G. Contopoulos (Greece)
M. Crézé (France)
J. Einasto (Estonia)
R. Giacconi (ESO)
P. Harmanec (Czech Republic)
K. Mattila (Finland)
P.G. Mezger (Germany)
P.E. Nissen (Denmark)
C. Perola (Italy)
J. Pfleiderer (Austria)
Aa. Sandqvist (Sweden)
J.I. Smak (Poland)
P. Smeyers (Belgium)
B. Szeidl (Hungary)
R. Wielen (Germany)
J. Zverko (Slovak Republic)

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Paris
61 avenue de l'Observatoire
F-75014 Paris
France

Tel. (33-1) 43290541
Fax (33-1) 43290557
e-mail: aanda@mesiob.obspm.fr (internet)
mesioa:: aanda (span)

M. Grewing
Astronomy and Astrophysics
Editorial Office
c/o Astronomisches Institut
Waldhäuserstrasse 64
D-72076 Tübingen
Germany

Tel. (49-7071) 294982
Telefax (49-7071) 293458
Telex (41) 7262714 ait d
e-mail:
Internet aaptue@ait.physik
uni-tuebingen.de
SPAN AITMVX::AAPTUE

Letter Editor

S.R. Pottasch
Kapteyn Astronomical Institute
P.O. Box 800
NL-9700 AV Groningen
The Netherlands

Tel. (31-50) 634093
Telex (44) 53572 stars nl
Telefax (31-50) 636100

Editorial secretaries

Miss B. Perche
Mrs. M. Rougeot
Mr. W.M. Wettlaufer
Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, ist vested in European Southern Observatory (ESO).
The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International 1994
Printed in Germany
Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

Volume 291 1994

Contents

Letters to the Editor

Adaptive optics imaging of the Frosty Leo nebula
Beuzit J.-L., Thébault P., Perrin G., Rouan D. L1

Dust emission of galactic cirrus from DIRBE observations
Bernard J.P., Boulanger F., Désert F.X., Giard M., Helou G., Puget J.L. L5

FOS observations of G 117–B 15A and the blue edge of the ZZ Ceti instability strip
Koester D., Allard N.F., Vauclair G. L9

Hot gas outflow in the blue compact dwarf galaxy VII Zw 403
Papaderos P., Fricke K.J., Thuan T.X., Loose H.-H. L13

Optical studies of the field of GRB 940301
Pedersen H. L17

Doppler imaging of the T Tauri star HDE 283572
Joncour I., Bertout C., Bouvier J. L19

A Keplerian disk around DM Tau?
Guilloteau S., Dutrey A. L23

RX J0531.5–4624: a new ROSAT-discovered AM Herculis binary in the ‚period gap'
Reinsch K., Burwitz V., Beuermann K., Schwope A.D., Thomas H.-C. L27

Evidence for cyclotron line features in high energy spectra of A 0535+26 during the March/April 1989 outburst
Kendziorra E., Kretschmar P., Pan H.C., Kunz M., Maisack M., Staubert R., Pietsch W., Trümper J., Efremov V., Sunyaev R. L31

Magnetic field fluctuation geometry as a possible solution to the proton mean free path discrepancy problem
Jaekel U., Wanner W., Schlickeiser R., Wibberenz G. L35

The binary pulsar PSRJ 2145–0750: a system originating from a low or intermediate mass X-ray binary with a donor star on the asymptotic giant branch?
van den Heuvel E.P.J. L39

Energy implications of Li production in X-ray transients
Martín E.L., Spruit H.C., van Paradijs J. L43

Two faint companions to the nearby low-mass star LHS 1070
Leinert C., Weitzel N., Richichi A., Eckart A., Tacconi-Garman L.E. L47

Broad-band spectroscopic detection of the CO J = 3–2 tropospheric absorption in the atmosphere of Neptune
Naylor D.A., Davis G.R., Griffin M.J., Clark T.A., Gautier D., Marten A. L51

Cosmology

Erratum A deep X-ray survey in the Lockman Hole and in the soft X-ray log N–log S
Hasinger G., Burg R., Giacconi R., Hartner G., Schmidt M., Trümper J., Zamorani G. 348

The effects of smoothing on the statistical properties of large-scale cosmic fields
Bernardeau F. 697

Extragalactic astronomy

The IMF and the extinction law in M 101: HST FOS spectra of extragalactic H II regions
Rosa M.R., Benvenuti P. 1

A [Si VI] (1.962 μm) coronal line survey of galactic nuclei
Marconi A., Moorwood A.F.M., Salvati M., Oliva E. 18

The $z_{abs} \sim z_{em} \sim 2$ QSO absorption line systems: evidence for abundances in excess of solar
Petitjean P., Rauch M., Carswell R.F. 29

Kinematics and dark haloes of polar-ring galaxies
Reshetnikov V.P., Combes F. 57

Systematic study of the ultraviolet variability of active galactic nuclei
Paltani S., Courvoisier T.J.-L. 74

Interstellar molecules in the Large Magellanic Cloud
Johansson L.E.B., Olofsson H., Hjalmarson Å., Gredel R., Black J.H. 89

The extended narrow line region of NGC 4151. II. Spatial variations of the emission line intensities
Robinson A., Vila-Vilaró B., Axon D.J., Pérez E., Wagner S.J., Baum S.A., Boisson C., Durret F., González-Delgado R., Moles M., Masegosa J., O'Brien P.T., O'Dea C., del Olmo A., Pedlar A., Penston M.V., Perea J., Pérez-Fournon I., Rodríguez-Espinosa J.M., Tadhunter C., Terlevich R.J., Unger S.W., Ward M.J. 351

High spatial resolution integral field spectroscopy of extended ionized gas around three quasars
Durret F., Pécontal E., Petitjean P., Bergeron J. 392

Discovery of strong X-ray variability in an H II type galaxy
Boller T., Fink H., Schaeidt S. 403

Gravitational lensing of Q 0957+561: a study of the cluster at $z = 0.355$
Angonin-Willaime M.-C., Soucail G., Vanderriest C. 411

The variable soft X-ray excess of Mkn 766
Molendi S., Maccacaro T. 420

Interstellar and intergalactic gas towards SN 1993J in M 81: a study of optical and 21 cm spectra
Vladilo G., Centurión M., de Boer K.S., King D.L., Lipman K., Stegert J.S.W., Unger S.W., Walton N.A. 425

Possible continuum-diluting processes to generate Liner-like spectra
Schulz H., Fritsch C. 713

Near- and far-infrared emission of Seyfert 2 galaxies and various types of star-forming galaxies
Dultzin-Hacyan D., Benitez E. 720

A two-component model for spherical galaxies
Hiotelis N. 725

Microlensing of optically thin clouds in active galactic nuclei
Jaroszyński M., Marck J.-A. 731

Milliarcsecond structures of extremely distant quasars: 0336–017, 0636+680, 1442+101, and 2048+312
Gurvits L.I., Schilizzi R.T., Barthel P.D., Kardashev N.S., Kellermann K.I., Lobanov A.P., Pauliny-Toth I.I.K., Popov M.V. 737

The dynamical evolution of the Magellanic System
Heller P., Rohlfs K. 743

Galactic structure and dynamics

Numerical simulations for the study of the methods for stellar kinematics and luminosity calibration
Jaschek C., Valbousquet A., Luri X. 439

The basic solar motion and the median solar motion
Jaschek C., Valbousquet A. 448

A map for galaxy potentials in resonance cases
Caranicolas N.D. 754

The galactic distribution of chemical elements as derived from B-stars in open clusters. II. NGC 6611, S 285, and S 289
Kilian-Montenbruck J., Gehren T., Nissen P.E. 757

Stellar clusters and associations

Pismis 3: an unstudied old open cluster
Carraro G., Ortolani S. 106

Formation, structure and evolution of stars

The active close binary system ER Vulpeculae
Oláh K., Budding E., Kim H.-I., Etzel P.B. 110

A Baade-Wesselink analysis of the RR Lyrae star V9 in 47 Tucanae
Storm J., Nordström B., Carney B.W., Andersen J. 121

Surface inhomogeneities on SZ Piscium
Doyle J.G., Mitrou C.K., Mathioudakis M., Avgoloupis S., Mavridis L.N., Varvoglis P.P., Graos F., Antonopoulou E. 135

Nonadiabatic observables in β Cephei models
Cugier H., Dziembowski W.A., Pamyatnykh A.A. 143

High precision rotating neutron star models. I. Analysis of neutron star properties
Salgado M., Bonazzola S., Gourgoulhon E., Haensel P. 155

Discovery of the new intermediate polar RX J0558.0+5353
Haberl F., Thorstensen J.R., Motch C., Schwarzenberg-Czerny A., Pakull M., Shambrook A., Pietsch W. 171

The stabilizing effect of rotation
Hazlehurst J. 181

Absolute dimensions of AB Crucis: a semi-detached O-type eclipsing binary
Lorenz R., Mayer P., Drechsel H. 185

An optical time-resolved spectroscopic study of SS Cygni. I. Quiescence
Martínez-Pais I.G., Giovannelli F., Rossi C., Gaudenzi S. 455

Search for TeV gamma-ray emission from the Vela pulsar
Edwards P.G., Thornton G.J., Patterson J.R., Roberts M.D., Rowell G.P. 468

Evidence for ellipsoidal variations of the Be star binary HD 50123
Sterken C., Vogt N., Mennickent R. 473

Amplitude equations for nonadiabatic nonradial pulsators
Goupil M.-J., Buchler J.R. 481

Speckle masking observations of the young binary Z Canis Majoris
Barth W., Weigelt G., Zinnecker H. 500

A case study of the quadruple system ξ Ursae Majoris: its activity and lithium depletion
Cayrel de Strobel G., Cayrel R., Friel E., Zahn J.-P., Bentolila C. 505

An orbital period study of the contact system AB Andromedae
Kalimeris A., Rovithis-Livaniou H., Rovithis P., Oprescu G., Dumitrescu A., Suran M.D. 765

(RN) The spin period and orbital period relation for Be star/white dwarf binary systems
Apparao K.M.V. 775

Radii and masses for β Aurigae
Nordström B., Johansen K.T. 777

Origin and evolution of semi-detached binaries: β Lyrae and SV Centauri
De Greve J.P., Linnell A.P. 786

AG Persei: absolute dimensions and membership of Perseus OB2
Giménez A., Clausen J.V. 795

Multi-frequency variations of the Wolf–Rayet system HD 193793. II. Observations of the 1991–92 radio maximum
Williams P.M., van der Hucht K.A., Spoelstra T.A.T. 805

(RN) Examination of the wind accretion scenario for barium stars
Boffin H.M.J., Zaès L. 811

Detection of a photometric period in the non-eclipsing binary HR 8800. Towards a better description of the system
Sareyan J.P., Chauville J., Van't Veer F., Alvarez M., Gonzalez-Bedolla S., Valera F. 815

Nonlinear properties of double-mode pulsators
Antonello E. 820

Doppler imaging of the Ap star 17 Comae Berenices
Rice J.B., Wehlau W.H. 825

SiC grains and evolution of carbon stars
Lorenz-Martins S., Lefèvre J. 831

The X-ray heating and evolution of LMXB's
Vilhu O., Ergma E., Fedorova A. 842

(RN) Interferometer observations of RS Canum Venaticorum binaries
Gunn A.G., Spencer R.E., Abdul Aziz H., Doyle J.G., Davis R.J., Pavelin P.E. 847

Optical observations of the hot post-asymptotic giant branch star, HD 177566
Kendall T.R., Brown P.J.F., Conlon E.S., Dufton P.L., Keenan F.P. 851

Stellar atmospheres

Effect of electron thermal motions on Thomson scattered line profiles from hot circumstellar envelopes
Wood K., Brown J.C. 202

Nonlinear stellar pulsation. II. Radiative models of RR-Lyrae stars
Feuchtinger M.U., Dorfi E.A. 209

Pulsation of the yellow hypergiant ϱ Cassiopeiae in 1970
Lobel A., de Jager C., Nieuwenhuijzen H., Smolinski J., Gesicki K. 226

Detection of EUV emission from the low activity dwarf HD 4628: evidence for a cool corona
Mathioudakis M., Drake J.J., Vedder P.W., Schmitt J.H.M.M., Bowyer S. 517

Elemental abundances in normal late-B and HgMn stars from co-added IUE spectra. III. Copper and zinc
Smith K.C. 521

The expanding envelope of ζ Aurigae
Kirsch T., Baade R. 535

Cold dust around southern Herbig Ae/Be stars
Henning T., Launhardt R., Steinacker J., Thamm E. 546

The relation between microturbulence and mass loss from supergiants
Lamers H.J.G.L.M., Achmad L. 856

Element abundances of classical novae
Andreä J., Drechsel H., Starrfield S. 869

Search for magnetic fields in late-type giants
Hubrig S., Plachinda S.I., Hünsch M., Schröder K.-P. 890

Spectroscopic analyses of metal-poor stars. I. Basic data and stellar parameters
Axer M., Fuhrmann K., Gehren T. 895

Spectrum variability of ET Andromedae: Si and He surface mapping
Piskunov N., Ryabchikova T.A., Kuschnig R., Weiss W.W. 910

Stratification of helium in the photospheres of the helium-weak stars HD 28843 and HD 49333
Farthmann M., Dreizler S., Heber U., Hunger K. 919

Diffuse matter in space (including H II regions and planetary nebulae)

PAH destruction at ionization fronts
Giard M., Bernard J.P., Lacombe F., Normand P., Rouan D. 239

C I emission from the outflow and PDR in S 140
Minchin N.R., White G.J., Stutzki J., Krause D. 250

The occurrence of H_2O masers in H II regions
Codella C., Felli M., Natale V., Palagi F., Palla F. 261

Hydrodynamic model of Kepler's supernova remnant constrained by EINSTEIN and EXOSAT X-ray spectra
Rothenflug R., Magne B., Chièze J.P., Ballet J. 271

The origin of extended interstellar shells around Wolf–Rayet stars having bright optical ring nebulae
Nichols J.S., Fesen R.A. 283

G 79.29+0.46: a young stellar-wind shell in Cygnus X
Higgs L.A., Wendker H.J., Landecker T.L. 295

Measuring the fractal structure of interstellar clouds
Vogelaar M.G.R., Wakker B.P. 557

Pumping of Class II methanol masers. I. The 2_0–3_{-1}E transition
Sobolev A.M., Deguchi S. 569

H_2O masers from low and intermediate luminosity young stellar objects: H_2O masers and YSOs
Persi P., Palagi F., Felli M. 577

Bidimensional analysis of the planetary nebula NGC 7009
Bohigas J., López J.A., Aguilar L. 595

Narrow emission line O VI planetary nebulae nuclei
Stanghellini L., Kaler J.B., Shaw R.A. 604

Cosmic ray hydrodynamics at shock fronts
Duffy P., Drury L.O'C., Völk H. 613

Hα observations of the HH objects in the NGC 7129 field
Magakian T.Y., Boulesteix J., Marcelin M., Le Coarer E. 928

Similarity solutions for synchrotron emission from a supernova blast wave
Ratkiewicz R., Axford W.I., McKenzie J.F. 935

Dust opacities for protostellar cores
Ossenkopf V., Henning T. 943

The LMC H II region N4A and its unusual molecular cloud
Heydari-Malayeri M., Lecavelier des Etangs A. 960

The Sun

Acoustic waves in structured media and helioseismology
Zhugzhda Y.D., Stix M. 310

Observed differences between large and small sunspots
Collados M., Martínez Pillet V., Ruiz Cobo B., del Toro Iniesta J.C., Vázquez M. 622

Three-dimensional hydrodynamic models of solar granulation and their application to a spectral analysis problem
Atroshchenko I.N., Gadun A.S. 635

The evolution of the Sun's poloidal field
Dikpati M., Choudhuri A.R. 975

On the origin of noise storm continuum depressions
Zaitsev V.V., Aurass H., Krüger A., Mann G. 990

Radiation-hydrodynamic waves in an optically grey atmosphere. II. Analysis of wave properties and effects of thermal conductivity in a homogeneous model
Dzhalilov N.S., Zhugzhda Y.D., Staude J. 1001

The solar system

On the dust belts of Mars
Krivov A.V. 657

Fractal aggregate analogues for near solar dust properties
Mann I., Okamoto H., Mukai T., Kimura H., Kitada Y. 1011

The influence of the troposphere on the oscillations of giant planets
Mosser B., Gudkova T., Guillot T. 1019

Celestial mechanics and astrometry

Lunar VLBI observation model
Fukushima T. 320

Astrometric analysis of Europa-Io occultations observed in 1991
Descamps P. 664

Physical and chemical processes

On shock wave impact ionization of dust particles
Hornung K., Kissel J. 324
Properties of the first-order moments of the polarization profiles of hydrogen lines
Casini R., Landi Degl'Innocenti E. 668
On the competition of forces in the Kerr field
Semerák O. 679
Magnetic drift driven instability for cosmic-ray acceleration: oblique propagation
Pajot-El Abed P., Melikidze G., Tagger M. 687

Instruments, data processing, and computational methods

Astronomical adaptive optics. I. Modal control optimization
Gendron E., Léna P. 337
An application of the internal calibration method using stellar profiles
Markov H. 1027